

## Formulation

	Components	Weight (g)
<b>Phase 1</b>	Tefose® 63	10.0
	Labrafil® M 1944 CS	3.0
	Geleol™ Mono and Diglycerides NF	2.0
	Dimethicone (100 cp)	3.0
	Labrafac™ Lipophile WL 1349	5.0
	BHT	0.1
	Ethylparaben	0.1
<b>Phase 2</b>	Distilled Water	To 100.0
<b>Phase 3</b>	Propylene glycol	5.0
	CBD	1.0
<b>Phase 4</b>	Triethanolamine	q.s.

## Process

- ✓ Heat phase 1 and phase 2 to about 80°C
- ✓ Add phase 1 into phase 2 while stirring
- ✓ CBD is dissolved in propylene glycol at about 50-55°C
- ✓ Add phase 3 into the mixture while stirring at about 55°C
- ✓ Cool down while stirring and adjust pH

## Characteristics

- ✓ Viscosity: 8600 mPa.s
- ✓ pH =6.0

The information included in this document is presented in good faith and we believe that it is correct, but no warranty as to accuracy of results or fitness for a particular use is given, nor is freedom from patent infringement to be inferred. It is offered solely for your consideration, investigation and verification. The user shall determine under his responsibility, the use and the security conditions of the information, and will remain the only one responsible in case of damageable consequences. Before using a Gattefossé product, or any other product mentioned in this literature, read, understand and follow the information contained in most recent Material Safety Data sheet.