# **TECHNICAL DATA SHEET**

# **F-MELT<sup>®</sup> Type C&M**



## F-MELT<sup>®</sup> - Fast Melt Tablets Made Easy!

F-MELT<sup>®</sup> Type C & M are proprietary formulations of carbohydrates, disintegrants and inorganic ingredients, designed as a pre-mix for oral disintegrating tablets (ODTs). It allows easy tableting by simply blending active pharmaceutical ingredients (APIs) and lubricants.

#### **Key Features**

- Ready-to-use excipient for ODTs
- Oral disintegration time less than 30 seconds
- Spherical particle with high flowability
- Directly compressible
- High API loading possible
- Tablet hardness more than 50N possible
- Pleasant mouth feel
- Easy handling and storage of ODTs with low friability
- No special equipment required for tableting
- No royalty or license fees required

#### **General Properties**

<u> </u>		
Grade	Type C	Туре М
Appearance	White to pale yellow powder	
Loose bulk density (g/mL)	0.54	0.56
Tapped density (g/mL)	0.65	0.65
Angle of repose (°)	34	33
Loss on drying (%), (105°C, 4hr)	0.7 - 1.5	0.7 - 2.0
Mean particle size distribution (µm)	121	122
Ingredients	D-Mannitol	D-Mannitol
	Xylitol	Xylitol
	MCC	MCC
	Crospovidone	Crospovidone
	Fujicalin®	Neusilin®

### Sample Formulation of Type C (Acetaminophen)

#### Acetaminophen tablet: ø 8 mm, 200 mg/tablet



Compression Force: 6.9-7.4 kN Tablet Hardness: 53 N Disintegration time JP : 12.5 sec Oral Disintegration Time : 30 sec


1	
Formulation	(%)
Acetaminophen (%)	30.0
F-MELT® Type C (%)	64.6
Crospovidone (%)	5.0
Magnesium stearate (%)	0.4


### Pharmacopoeia & Regulatory

F-MELT<sup>®</sup> is manufactured under strict quality control at Fuji's GMP facilities. Type C conforms to Japanese Pharmaceutical Excipients and all components meet USP-NF, JP, and EP. US DMF Type IV field. Type M conforms to Japanese Pharmaceutical Excipients and all components meet USP-NF and JP/JPC.

#### Handling & Storage

Packaging: 20 kg net in aluminum bag in carton box. Storage: Store at room temperature and avoid high humidity. Shelf life: 3 years from the date of manufacture stored in recommended conditions.





F-MELT® (×500)



F-MELT

Shibakoen Ridge Building 2<sup>nd</sup> Floor, 1-8-21 ShibaKoen, Minato-ku, Tokyo 105-0011 JAPAN Tel: +81-3-3437-2350 Fax: +81-3-3437-2347 www.fujichemical.co.jp/english

F-MELT<sup>®</sup> is a registered trademark of Fuji Chemical Industries Co., Ltd. Information found is presented in good faith with no guarantee or obligation as to accuracy and no assumption of liability. The information herein does not imply a performance warranty.

