

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Version 6.9 Revision Date 04.06.2021 Print Date 30.09.2021 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers		
	Product name	:	Benzalkonium Chloride EMPROVE® EXPERT Ph Eur,NF
	Product Number Brand REACH No.	:	1.37123 Millipore This product is a mixture. REACH Registration Number see section 3.
1.2	2 Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Pharmaceutical production and analysis, Chemical for synthesis
1.3	B Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich Chemie GmbH Eschenstrasse 5 D-82024 TAUFKIRCHEN
	•		+49 (0)89 6513-1130 +49 (0)89 6513-1161 technischerservice@merckgroup.com
1.4	Emergency telephone		
	E DI "		

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC weltweit)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Millipore- 1.37123

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 11

Pictogram	
Signal word	Danger
Hazard statement(s) H302 + H312 H314 H400	Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage. Very toxic to aquatic life.
Precautionary statement(s) P260 P273 P280 P301 + P312 P303 + P361 + P353 P305 + P351 + P338	Do not breathe dusts or mists. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none
Reduced Labeling (<= 1 Pictogram	25 ml)
Signal word	Danger
Hazard statement(s) H314	Causes severe skin burns and eye damage.
Precautionary statement(s) P260 P280	Do not breathe dusts or mists. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
P305 + P351 + P338	clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard none Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component Classification Concentration
--

Millipore- 1.37123

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 11

benzododecinium	chloride		
CAS-No. EC-No.	139-07-1 205-351-5 *	Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; H302, H312, H314, H318, H400 M-Factor - Aquatic Acute: 10	>= 50 - < 70 %
miristalkonium ch	loride		
CAS-No. EC-No. Index-No.	139-08-2 205-352-0 612-140-00-5 *	Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; H302, H312, H314, H318, H400 M-Factor - Aquatic Acute: 10	>= 30 - < 50 %

*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Millipore- 1.37123





SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas Combustible. Fire may cause evolution of: nitrogen oxides, Hydrogen chloride gas Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Millipore- 1.37123

Page 4 of 11



7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: > 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: > 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2

Millipore- 1.37123

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 11

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	· · · · · · · · · ·	
a)	Appearance	Form: viscous liquid Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	pН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	at 20 °C soluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

t) Oxidizing properties No data available

9.2 Other safety information No data available

Millipore- 1.37123

Page 6 of 11



SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Violent reactions possible with: Strong oxidizing agents

10.4 Conditions to avoid

no information available

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Acute toxicity estimate Oral - 555,56 mg/kg (Calculation method) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Acute toxicity estimate Dermal - 1.306 mg/kg (Calculation method)

Skin corrosion/irritation Mixture causes burns.

Serious eye damage/eye irritation Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Millipore- 1.37123

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 11



Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard No data available

11.2 Additional Information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

benzododecinium chloride

Acute toxicity

LD50 Oral - Rat - 400 mg/kg Inhalation: No data available LD50 Dermal - 1.100 mg/kg

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

miristalkonium chloride

Acute toxicity

Oral: No data available Inhalation: No data available

The life science business of Merck operates as MilliporeSigma in

Millipore- 1.37123

Page 8 of 11



the US and Canada

LD50 Dermal - 2.000 mg/kg LD50 Intravenous - Mouse - 18 mg/kg

Skin corrosion/irritation Skin - Rabbit

Serious eye damage/eye irritation Eyes - Rabbit

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

Components

benzododecinium chloride

No data available

miristalkonium chloride No data available

Millipore- 1.37123

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 11



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number ADR/RID: 1759	IMDG: 1759	IATA: 1759
IMDG: CORROSIVE SOL	e _ID, N.O.S. (benzododecinium ch _ID, N.O.S. (benzododecinium ch n.o.s. (benzododecinium chloride	loride)
14.3 Transport hazard class(e ADR/RID: 8	es) IMDG: 8	IATA: 8
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5 Environmental hazards ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no
14.6 Special precautions for u	Iser	

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European : ENVIRONMENTAL HAZARDS Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Millipore- 1.37123

Page 10 of 11



SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H302 + H312	Harmful if swallowed or in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.37123

Page 11 of 11



