www.sigmaaldrich.com



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Version 8.6 Revision Date 15.06.2021 Print Date 30.09.2021 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1** Product identifiers

Product name : Benzyl alcohol EMPROVE® ESSENTIAL Ph Eur, BP, JP, NF

Product Number	:	1.00981
Catalogue No.	:	100981
Brand	:	Millipore
Index-No.	:	603-057-00-5
REACH No.	:	01-2119492630-38-XXXX
CAS-No.	:	100-51-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Pharmaceutical production, Reagent for development and research, Cosmetic raw material

# 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Chemie GmbH Eschenstrasse 5 D-82024 TAUFKIRCHEN
Telephone Fax E-mail address	:	+49 (0)89 6513-1130 +49 (0)89 6513-1161 technischerservice@merckgroup.com
Emergency telephone		
Emergency Phone #	:	0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC

weltweit)

# SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008** Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Millipore- 1.00981

1.4

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 10

Pictogram	
Signal word	Warning
Hazard statement(s) H302 + H332 H319	Harmful if swallowed or if inhaled. Causes serious eye irritation.
Precautionary statement(s) P261 P264 P270 P301 + P312	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel
P304 + P340 + P312 P305 + P351 + P338	unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none
<b>Reduced Labeling (&lt;= 1</b> Pictogram	25 ml)
Signal word	Warning
Hazard statement(s)	none
Precautionary statement(s)	none
Supplemental Hazard Statements	none

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

3.1	Substances Formula Molecular weight CAS-No. EC-No. Index-No.	: C7H8O : 108,14 g/mol : 100-51-6 : 202-859-9 : 603-057-00-5		
	Component		Classification	Concentration
	Benzyl alcohol			
	CAS-No. EC-No. Index-No.	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; Eye Irrit. 2; H302, H332, H319	<= 100 %

Millipore- 1.00981

Page 2 of 10



# SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

# 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore- 1.00981





# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# **6.2 Environmental precautions** Do not let product enter drains.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4 Reference to other sections** For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Protected from light.Tightly closed.

Recommended storage temperature see product label.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

Millipore- 1.00981

Page 4 of 10



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 120 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

# **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	205 °C at 1.013 hPa
g)	Flash point	101 °C - DIN 51758
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or	Upper explosion limit: 13 %(V) Lower explosion limit: 1,3 %(V)

Millipore- 1.00981

Page 5 of 10



explosive limits

- k) Vapor pressure No data available
- I) Vapor density No data available
- m) Relative density No data available
- n) Water solubility No data available
- Partition coefficient: log Pow: 1,05 at 20 °C Bioaccumulation is not expected. n-octanol/water
- p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

# 9.2 Other safety information

Dissociation constant 15,4 at 25 °C

# SECTION 10: Stability and reactivity

# **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

# **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# **10.3** Possibility of hazardous reactions

Risk of explosion with: nonmetallic halides Exothermic reaction with: Oxidizing agents polymerisation initiators hydrogen bromide Iron Sulphuric acid Acids Isocyanates

# 10.4 Conditions to avoid

Strong heating.

- **10.5 Incompatible materials** various plastics
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

Millipore- 1.00981

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of 10



# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male - 1.620 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - male and female - 4 h - > 4,178 mg/l (OECD Test Guideline 403) Remarks: (Regulation (EC) No 1272/2008, Annex VI) Dermal: No data available

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating (OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

Maximization Test Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity No data available

Carcinogenicity No data available

**Reproductive toxicity** No data available

Specific target organ toxicity - single exposure No data available

**Specific target organ toxicity - repeated exposure** No data available

Aspiration hazard No data available

## **11.2 Additional Information**

Central nervous system depression To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish

static test LC50 - Pimephales promelas (fathead minnow) - 460 mg/l - 96 h

Millipore- 1.00981

Page 7 of 10



(US-EPA)

Toxicity to daphnia	Immobilization EC50 - Daphnia magna (Water flea) - 230 mg/l - 48
and other aquatic	h
invertebrates	(OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 700 mg/l - 72 h (OECD Test Guideline 201)

# 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 14 d Result: 92 - 96 % - Readily biodegradable. (OECD Test Guideline 301C) aerobic - Exposure time 21 d Result: 95 - 97 % - Readily biodegradable. (OECD Test Guideline 301A)
Biochemical Oxygen	(DECD Test Guideline 301A)

Demand (BOD)	Remarks: (Lit.)
Theoretical oxygen demand	2.515 mg/g Remarks: (IUCLID)
Ratio BOD/ThBOD	62 % Remarks: (Lit.)

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Other adverse effects

Additional ecological No data available information

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14: Transport information**

#### 14.1 UN number ADR/RID: -

IMDG: -

IATA: 3334

# 14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods

Millipore- 1.00981

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 10

IATA: Aviation regulated liquid, n.o.s.

<b>14.3 Transport hazard class(es)</b> ADR/RID: -	IMDG: -	IATA: 9
<b>14.4 Packaging group</b> ADR/RID: -	IMDG: -	IATA: III
<b>14.5 Environmental hazards</b> ADR/RID: no	IMDG Marine pollutant: no	IATA: no

**14.6 Special precautions for user** No data available

#### **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H302 + H332	Harmful if swallowed or if inhaled.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.00981

Page 9 of 10



Millipore- 1.00981

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 10