

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.8 Revision Date 05.06.2021 Print Date 30.09.2021

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Benzyl Alcohol EMPROVE® EXPERT Ph

Eur, ChP, JP, NF

Product Number : 1.37120 Brand : Millipore Index-No. : 603-057-00-5

REACH No. : 01-2119492630-38-XXXX

CAS-No. : 100-51-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Pharmaceutical production

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130 Fax : +49 (0)89 6513-1161

E-mail address : technischerservice@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC

weltweit)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Millipore- 1.37120 Page 1 of 10



Pictogram



Signal word Warning

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled. H319 Causes serious eye irritation.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

(!)

Signal word Warning

Hazard statement(s) none

Precautionary statement(s)

none

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : C7H8O

Molecular weight : 108,14 g/mol

CAS-No. : 100-51-6

EC-No. : 202-859-9

Index-No. : 603-057-00-5

Component		Classification	Concentration
Benzyl alcohol			
CAS-No. EC-No. Index-No.	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; Eye Irrit. 2; H302, H332, H319	<= 100 %

Millipore- 1.37120 Page 2 of 10



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore- 1.37120 Page 3 of 10



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Protected from light. Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

Millipore- 1.37120 Page 4 of 10



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact Material: Viton®

Minimum layer thickness: 0,7 mm Break through time: 120 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odor No data available No data available c) Odor Threshold No data available d) pH e) Melting No data available

point/freezing point

Initial boiling point f) and boiling range

205 °C at 1.013 hPa

q) Flash point 101 °C - DIN 51758 h) Evaporation rate No data available Flammability (solid, No data available i)

gas)

Upper/lower Upper explosion limit: 13 %(V) flammability or Lower explosion limit: 1,3 %(V)

Millipore- 1.37120 Page 5 of 10



explosive limits

k) Vapor pressure No data available
 l) Vapor density No data available
 m) Relative density No data available
 n) Water solubility No data available

o) Partition coefficient: log Pow: 1,05 at 20 °C - Bioaccumulation is not expected.

n-octanol/water

p) Autoignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Dissociation constant 15,4 at 25 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

nonmetallic halides

Exothermic reaction with:

Oxidizing agents

polymerisation initiators

hydrogen bromide

Iron

Sulphuric acid

Acids

Isocyanates

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

various plastics

10.6 Hazardous decomposition products

In the event of fire: see section 5

Millipore- 1.37120 Page 6 of 10



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 1.620 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - > 4,178 mg/l

(OECD Test Guideline 403)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Central nervous system depression

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 460 mg/l

- 96 h

Millipore- 1.37120 Page 7 of 10



(US-EPA)

Toxicity to daphnia and other aquatic

Immobilization EC50 - Daphnia magna (Water flea) - 230 mg/l - 48

invertebrates

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -

700 mg/l - 72 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d

Result: 92 - 96 % - Readily biodegradable.

(OECD Test Guideline 301C) aerobic - Exposure time 21 d

Result: 95 - 97 % - Readily biodegradable.

(OECD Test Guideline 301A)

Biochemical Oxygen Demand (BOD)

1.550 mg/g Remarks: (Lit.)

Theoretical oxygen

2.515 mg/g

demand

Remarks: (IUCLID)

Ratio BOD/ThBOD 62 %

Remarks: (Lit.)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological No data available

information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: -IMDG: -IATA: 3334

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods

Millipore- 1.37120 Page 8 of 10



IATA: Aviation regulated liquid, n.o.s.

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: 9

14.4 Packaging group

ADR/RID: - IMDG: - IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.37120 Page 9 of 10



Millipore- 1.37120 Page 10 of 10

The life science business of Merck operates as MilliporeSigma in the US and Canada

