

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.5 Revision Date 05.07.2022 Print Date 08.06.2023

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name : di-Potassium hydrogen phosphate anhydrous

EMPROVE® EXPERT Ph Eur, BP, USP

Product Number : 1.37010 Catalogue No. : 137010 Brand : Millipore

REACH No. : 01-2119493919-15-XXXX

CAS-No. : 7758-11-4

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Pharmaceutical production and analysis

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130Fax : +49 (0)89 6513-1161

E-mail address : technischerservice@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC

weltweit)

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

# 2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Millipore- 1.37010 Page 1 of 9



# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Formula : K2HPO4

Molecular weight : 174,20 g/mol

CAS-No. : 7758-11-4

EC-No. : 231-834-5

No components need to be disclosed according to the applicable regulations.

## **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

## If inhaled

After inhalation: fresh air.

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

# In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known.

Not combustible.

Fire may cause evolution of:

Oxides of phosphorus

Ambient fire may liberate hazardous vapours.

## **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Millipore- 1.37010 Page 2 of 9



## **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# **Storage conditions**

Tightly closed. Dry.

Recommended storage temperature see product label.

# Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Ingredients with workplace control parameters

# 8.2 Exposure controls

Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

Millipore- 1.37010 Page 3 of 9



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Physical state solidb) Color whitec) Odor odorless

d) Melting Melting point/range: > 450 °C - Regulation (EC) No. 440/2008,

point/freezing point Annex, A.1

gas)

e) Initial boiling point No data available and boiling range

f) Flammability (solid, The product is not flammable.

g) Upper/lower No data available flammability or explosive limits

h) Flash point Not applicablei) Autoignition No data available

Millipore- 1.37010 Page 4 of 9



temperature

j) Decomposition No data available temperature

k) pH 9,2weakly alkaline

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility at 20 °C - Regulation (EC) No. 440/2008, Annex, A.6completely

soluble

n) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

o) Vapor pressure No data available

p) Density 2,45 g/cm3 at 20,5 °C - Tested according to Annex V of

Directive 67/548/EEC.

Relative density 2,45 at 20,5 °C - Regulation (EC) No. 440/2008, Annex, A.3

q) Relative vapor

density

r) Particle No data available

characteristics

s) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

Bulk density ca.700 - 1.000 kg/m3

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

A

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - female - > 2.000 mg/kg

(OECD Test Guideline 420)

LC50 Inhalation - Rat - male and female - 4 h - > 0,83 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (highest concentration to be prepared)

(in analogy to similar products)

The value is given in analogy to the following substances: sodium dihydrogen phosphate

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h (OECD Test Guideline 405)

# Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

# Germ cell mutagenicity

Test Type: Micronucleus test Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 490

Result: negative Remarks: (ECHA) Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative Carcinogenicity

# No data available

Reproductive toxicity
No data available

# Specific target organ toxicity - single exposure

No data available

Millipore- 1.37010 Page 6 of 9

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

## 11.2 Additional Information

Lowered blood pressure, Abdominal pain, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After uptake of large quantities:

Possible symptoms:

Nausea Vomiting gastric pain Diarrhea Discomfort

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish	semi-static test LC50 -	Oncorhynchus my	/kiss	(rainbow trout)	- > 100

mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - > 100

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

static test NOEC - activated sludge - 1.000 mg/l - 3 h

(OECD Test Guideline 209)

# 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

No data available

# **12.4** Mobility in soil

No data available

Millipore- 1.37010 Page 7 of 9



## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Depending on the concentration, phosphorus compounds may contribute to the eutrophication of water supplies.

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

# 14.6 Special precautions for user

# **Further information**

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Millipore- 1.37010 Page 8 of 9



## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

# **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.37010 Page 9 of 9

